


310436

**DATA PACKAGE**

GENERAL CHEMISTRY

**PROJECT NAME : RFP 265****WESTON SOLUTIONS, INC.****Raritan Plaza Suite 201****1090 King Georges Post Road****Edison, NJ - 08837-3703****Phone No: 732-225-6116****ORDER ID : E3897****ATTENTION : Smita Sumbaly****DoD ELAP**

## Table Of Contents for E3897

1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	33
6.1) CHAIN OF CUSTODY	34
6.2) Lab Certificate	36

1
2
3
4
5
6

**Cover Page****Order ID :** E3897**Project ID :** RFP 265**Client :** Weston Solutions, Inc.**Lab Sample Number**


E3897-01  
E3897-02  
E3897-03  
E3897-04  
E3897-05  
E3897-06  
E3897-07  
E3897-08  
E3897-09  
E3897-10  
E3897-11  
E3897-12  
E3897-13  
E3897-14  
E3897-15  
E3897-16  
E3897-17  
E3897-18  
E3897-19  
E3897-20  
E3897-21

**Client Sample Number**

P001-S-3010-1  
P001-S-3011-1  
P001-S-3012-1  
P001-S-3013-1  
P001-S-4001-1  
P001-S-4002-1  
P001-S-4003-1  
P001-S-5001-1  
P001-S-5002-1  
P001-S-5003-1  
P001-S-5004-1  
P001-S-5005-1  
P001-S-6004-1  
P001-S-6005-1  
P001-S-6005-2  
P001-S-6006-1  
P001-S-6007-1  
P001-S-6008-1  
P001-S-7001-1  
P001-S-7002-1  
P001-S-7003-1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_



Mildred V. Reyes, QA/QC Supervisor  
2013.10.04 13:56:32 -05'00'

Date: 10/4/2013

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

**CASE NARRATIVE****Weston Solutions, Inc.****Project Name: RFP 265****Project # N/A****Chemtech Project # E3897****Test Name: Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide****A. Number of Samples and Date of Receipt:**

21 Solid samples were received on 09/27/2013.

**B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, RCRA CHARACTERISTICS, Reactive Cyanide and Reactive Sulfide. This data package contains results for Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide.

**C. Analytical Techniques:**

The analysis of Ignitability was based on method 1030, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034 and The analysis of Corrosivity was based on method 9045C.

**D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis (WC1S-Sample E3861-02 and P001-S-3013-1S-Sample E3897-04) met criteria for all samples except for Reactive Cyanide; may be due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

**E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_



Mildred V. Reyes, QA/QC

Supervisor

2013.10.04 13:56:17 -05'00'

**DATA REPORTING QUALIFIERS- INORGANIC**

For reporting results, the following " Results Qualifiers" are used:

- J** Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U** Indicates the analyte was analyzed for, but not detected.
- ND** Indicates the analyte was analyzed for, but not detected
- E** Indicates the reported value is estimated because of the presence of interference
- M** Indicates Duplicate injection precision not met.
- N** Indicates the spiked sample recovery is not within control limits.
- S** Indicates the reported value was determined by the Method of Standard Addition (MSA).
- \*** Indicates that the duplicate analysis is not within control limits.
- +** Indicates the correlation coefficient for the MSA is less than 0.995.
- D** Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M** Method qualifiers  
"P" for ICP instrument  
"PM" for ICP when Microwave Digestion is used  
"CV" for Manual Cold Vapor AA  
"AV" for automated Cold Vapor AA  
"CA" for MIDI-Distillation Spectrophotometric  
"AS" for Semi -Automated Spectrophotometric  
"C" for Manual Spectrophotometric  
"T" for Titrimetric  
"NR" for analyte not required to be analyzed
- OR** Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
- Q** Indicates the LCS did not meet the control limits requirements
- H** Sample Analysis Out Of Hold Time

**APPENDIX A****QA REVIEW GENERAL DOCUMENTATION**

Project #: E3897

Completed

For thorough review, the report must have the following:

**GENERAL:**

Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

**COVER PAGE:**

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client ids on cover page agree with the Chain of Custody

✓

**CHAIN OF CUSTODY:**

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

**ANALYTICAL:**

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

1st Level QA Review Signature: SHELLY GUHA

Date: 10/04/2013

2nd Level QA Review Signature: \_\_\_\_\_

*Mildred V Reyes*Mildred V. Reyes, QA/QC Supervisor  
2013.10.04 13:56:00 -05'00'

Date: \_\_\_\_\_

# SAMPLE DATA

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/27/13 10:15
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-3010-1	SDG No.:	E3897
Lab Sample ID:	E3897-01	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	5.36		1	0	0	0	pH	09/28/13	09/28/13 14:05	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 12:34	9012B
Reactive Sulfide	42		1	10	10	10	mg/Kg	09/28/13	09/28/13 11:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/27/13 10:25
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-3011-1	SDG No.:	E3897
Lab Sample ID:	E3897-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	4.77		1	0	0	0	pH	09/28/13	09/28/13 14:13	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 12:34	9012B
Reactive Sulfide	46		1	10	10	10	mg/Kg	09/28/13	09/28/13 11:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/27/13 10:40
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-3012-1	SDG No.:	E3897
Lab Sample ID:	E3897-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.28		1	0	0	0	pH	09/28/13	09/28/13 14:17	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 12:34	9012B
Reactive Sulfide	48		1	10	10	10	mg/Kg	09/28/13	09/28/13 11:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 10:50
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-3013-1	SDG No.:	E3897
Lab Sample ID:	E3897-04	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.21		1	0	0	0	pH	09/28/13	09/28/13 14:21	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:42	9012B
Reactive Sulfide	46		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 14:00
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-4001-1	SDG No.:	E3897
Lab Sample ID:	E3897-05	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.96		1	0	0	0	pH	09/28/13	09/28/13 14:25	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:42	9012B
Reactive Sulfide	29		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 13:25
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-4002-1	SDG No.:	E3897
Lab Sample ID:	E3897-06	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.94		1	0	0	0	pH	09/28/13	09/28/13 14:29	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:42	9012B
Reactive Sulfide	27		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

## Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 13:30
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-4003-1	SDG No.:	E3897
Lab Sample ID:	E3897-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.03		1	0	0	0	pH	09/28/13	09/28/13 14:33	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:49	9012B
Reactive Sulfide	40		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 13:40
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-5001-1	SDG No.:	E3897
Lab Sample ID:	E3897-08	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.62		1	0	0	0	pH	09/28/13	09/28/13 14:37	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:49	9012B
Reactive Sulfide	45		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

## Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 10:00
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-5002-1	SDG No.:	E3897
Lab Sample ID:	E3897-09	Matrix:	SOIL
		% Solid:	100

A  
B  
C

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.26		1	0	0	0	pH	09/28/13	09/28/13 14:41	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:49	9012B
Reactive Sulfide	41		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

## Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 10:10
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-5003-1	SDG No.:	E3897
Lab Sample ID:	E3897-10	Matrix:	SOIL
		% Solid:	100

A  
B  
C

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.13		1	0	0	0	pH	09/28/13	09/28/13 14:49	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:49	9012B
Reactive Sulfide	38		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 13:30
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-5004-1	SDG No.:	E3897
Lab Sample ID:	E3897-11	Matrix:	SOIL
		% Solid:	100

A  
B  
G

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.25		1	0	0	0	pH	09/28/13	09/28/13 14:57	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:50	9012B
Reactive Sulfide	43		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 10:45
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-5005-1	SDG No.:	E3897
Lab Sample ID:	E3897-12	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.24		1	0	0	0	pH	09/28/13	09/28/13 15:01	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:50	9012B
Reactive Sulfide	46		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 10:55
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-6004-1	SDG No.:	E3897
Lab Sample ID:	E3897-13	Matrix:	SOIL
		% Solid:	100

A  
B  
C

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.58		1	0	0	0	pH	09/28/13	09/28/13 15:05	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:50	9012B
Reactive Sulfide	45		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 13:10
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-6005-1	SDG No.:	E3897
Lab Sample ID:	E3897-14	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.97	J	1	0	0	0	pH	09/28/13	09/28/13 15:09	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:50	9012B
Reactive Sulfide	43	J	1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 11:40
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-6005-2	SDG No.:	E3897
Lab Sample ID:	E3897-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.85 J		1	0	0	0	pH	09/28/13	09/28/13 15:13	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05 U		1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:50	9012B
Reactive Sulfide	62 J		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 11:40
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-6006-1	SDG No.:	E3897
Lab Sample ID:	E3897-16	Matrix:	SOIL
		% Solid:	100

A  
B  
C

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.45		1	0	0	0	pH	09/28/13	09/28/13 15:17	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:57	9012B
Reactive Sulfide	61		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 11:06
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-6007-1	SDG No.:	E3897
Lab Sample ID:	E3897-17	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	6.88		1	0	0	0	pH	09/28/13	09/28/13 15:21	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:57	9012B
Reactive Sulfide	62		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 11:20
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-6008-1	SDG No.:	E3897
Lab Sample ID:	E3897-18	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	5.71		1	0	0	0	pH	09/28/13	09/28/13 15:25	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:57	9012B
Reactive Sulfide	30		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 11:30
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-7001-1	SDG No.:	E3897
Lab Sample ID:	E3897-19	Matrix:	SOIL
		% Solid:	100

A  
B  
C

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	8.07		1	0	0	0	pH	09/28/13	09/28/13 15:33	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:57	9012B
Reactive Sulfide	24		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 12:52
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-7002-1	SDG No.:	E3897
Lab Sample ID:	E3897-20	Matrix:	SOIL
		% Solid:	100

A  
B  
C

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.22		1	0	0	0	pH	09/28/13	09/28/13 15:41	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:57	9012B
Reactive Sulfide	18		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**Report of Analysis**

Client:	Weston Solutions, Inc.	Date Collected:	09/26/13 12:58
Project:	RFP 265	Date Received:	09/27/13
Client Sample ID:	P001-S-7003-1	SDG No.:	E3897
Lab Sample ID:	E3897-21	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity (as pH)	7.17		1	0	0	0	pH	09/28/13	09/28/13 15:45	SW9045C
Ignitability	NO		1	0	0	0	o C	09/28/13	09/28/13 16:00	1030
Reactive Cyanide	0.05	U	1	0.05	0.05	0.05	mg/Kg	09/28/13	09/30/13 13:57	9012B
Reactive Sulfide	13		1	10	10	10	mg/Kg	09/28/13	09/28/13 18:45	9034

## Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

**LAB CHRONICLE**

<b>OrderID:</b>	E3897	<b>OrderDate:</b>	9/27/2013 2:48:00 PM
<b>Client:</b>	Weston Solutions, Inc.	<b>Project:</b>	RFP 265
<b>Contact:</b>	Smita Sumbaly	<b>Location:</b>	G21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
E3897-01	P001-S-3010-1	SOIL			09/27/13 10:15			09/27/13
			Corrosivity	9045C		09/28/13	09/28/13 14:05	
			Ignitability	1030		09/28/13	09/28/13 16:00	
			Reactive Cyanide	9012B		09/28/13	09/30/13 12:34	
			Reactive Sulfide	9034		09/28/13	09/28/13 11:45	
E3897-02	P001-S-3011-1	SOIL			09/27/13 10:25			09/27/13
			Corrosivity	9045C		09/28/13	09/28/13 14:13	
			Ignitability	1030		09/28/13	09/28/13 16:00	
			Reactive Cyanide	9012B		09/28/13	09/30/13 12:34	
			Reactive Sulfide	9034		09/28/13	09/28/13 11:45	
E3897-03	P001-S-3012-1	SOIL			09/27/13 10:40			09/27/13
			Corrosivity	9045C		09/28/13	09/28/13 14:17	
			Ignitability	1030		09/28/13	09/28/13 16:00	
			Reactive Cyanide	9012B		09/28/13	09/30/13 12:34	
			Reactive Sulfide	9034		09/28/13	09/28/13 11:45	
E3897-04	P001-S-3013-1	SOIL			09/26/13 10:50			09/27/13
			Corrosivity	9045C		09/28/13	09/28/13 14:21	
			Ignitability	1030		09/28/13	09/28/13 16:00	
			Reactive Cyanide	9012B		09/28/13	09/30/13 13:42	
			Reactive Sulfide	9034		09/28/13	09/28/13 18:45	
E3897-05	P001-S-4001-1	SOIL			09/26/13 14:00			09/27/13
			Corrosivity	9045C		09/28/13	09/28/13 14:25	
			Ignitability	1030		09/28/13	09/28/13 16:00	
			Reactive Cyanide	9012B		09/28/13	09/30/13 13:42	
			Reactive Sulfide	9034		09/28/13	09/28/13 18:45	
E3897-06	P001-S-4002-1	SOIL			09/26/13 13:25			09/27/13
			Corrosivity	9045C		09/28/13	09/28/13 14:29	
			Ignitability	1030		09/28/13	09/28/13 16:00	

**LAB CHRONICLE**

E3897-07	P001-S-4003-1	SOIL	Reactive Cyanide	9012B	09/28/13	09/30/13 13:42
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
					09/26/13 13:30	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 14:33
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:49
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
E3897-08	P001-S-5001-1	SOIL			09/26/13 13:40	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 14:37
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:49
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
E3897-09	P001-S-5002-1	SOIL			09/26/13 10:00	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 14:41
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:49
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
E3897-10	P001-S-5003-1	SOIL			09/26/13 10:10	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 14:49
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:49
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
E3897-11	P001-S-5004-1	SOIL			09/26/13 13:30	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 14:57
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:50
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
E3897-12	P001-S-5005-1	SOIL			09/26/13 10:45	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 15:01
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:50
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
E3897-13	P001-S-6004-1	SOIL			09/26/13 10:55	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 15:05
			Ignitability	1030	09/28/13	09/28/13 16:00

**LAB CHRONICLE**

			Reactive Cyanide	9012B	09/28/13	09/30/13 13:50
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-14</b>	<b>P001-S-6005-1</b>	<b>SOIL</b>			<b>09/26/13 13:10</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:09
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:50
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-15</b>	<b>P001-S-6005-2</b>	<b>SOIL</b>			<b>09/26/13 11:40</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:13
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:50
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-16</b>	<b>P001-S-6006-1</b>	<b>SOIL</b>			<b>09/26/13 11:40</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:17
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:57
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-17</b>	<b>P001-S-6007-1</b>	<b>SOIL</b>			<b>09/26/13 11:06</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:21
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:57
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-18</b>	<b>P001-S-6008-1</b>	<b>SOIL</b>			<b>09/26/13 11:20</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:25
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:57
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-19</b>	<b>P001-S-7001-1</b>	<b>SOIL</b>			<b>09/26/13 11:30</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:33
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:57
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
<b>E3897-20</b>	<b>P001-S-7002-1</b>	<b>SOIL</b>			<b>09/26/13 12:52</b>	<b>09/27/13</b>
			Corrosivity	9045C	09/28/13	09/28/13 15:41
			Ignitability	1030	09/28/13	09/28/13 16:00

**LAB CHRONICLE**

<b>E3897-21</b>	<b>P001-S-7003-1</b>	<b>SOIL</b>	Reactive Cyanide	9012B	09/28/13	09/30/13 13:57
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45
					09/26/13 12:58	09/27/13
			Corrosivity	9045C	09/28/13	09/28/13 15:45
			Ignitability	1030	09/28/13	09/28/13 16:00
			Reactive Cyanide	9012B	09/28/13	09/30/13 13:57
			Reactive Sulfide	9034	09/28/13	09/28/13 18:45



# **SHIPPING** **DOCUMENTS**

USEPA

Date Shipped 9/27/2013

Carrier Name: Courier Pick Up

Airbill No N/A

## CHAIN OF CUSTODY RECORD

RFP No. 265 / Weston Solutions

Contact Name: Scott Snyder

Contact Phone: 732-570-4993

No: 2-092713-140902-0045

Cooler # 1 of 1

Lab: ChemTech

Lab Phone:

6.1

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MSD
4	P001-S-3009-1	Area 03	RCRA Characteristics	Soil	9/27/2013	10:15	1	8-oz. jar	4 C	N
1	P001-S-3010-1	Area 03	RCRA Characteristics	Soil	9/27/2013	10:25	1	8-oz. jar	4 C	N
2	P001-S-3011-1	Area 03	RCRA Characteristics	Soil	9/27/2013	10:40	1	8-oz. jar	4 C	N
3	P001-S-3012-1	Area 03	RCRA Characteristics	Soil	9/27/2013	10:50	1	8-oz. jar	4 C	N
4	P001-S-3013-1	Area 03	RCRA Characteristics	Soil	9/26/2013	14:00	1	8-oz. jar	4 C	N
5	P001-S-4001-1	Area 04	RCRA Characteristics	Soil	9/26/2013	13:25	1	8-oz. jar	4 C	N
6	P001-S-4002-1	Area 04	RCRA Characteristics	Soil	9/26/2013	13:30	1	8-oz. jar	4 C	N
7	P001-S-4003-1	Area 04	RCRA Characteristics	Soil	9/26/2013	13:40	1	8-oz. jar	4 C	N
8	P001-S-5001-1	Area 05	RCRA Characteristics	Soil	9/26/2013	10:00	1	8-oz. jar	4 C	N
9	P001-S-5002-1	Area 05	RCRA Characteristics	Soil	9/26/2013	10:10	1	8-oz. jar	4 C	N
10	P001-S-5003-1	Area 05	RCRA Characteristics	Soil	9/26/2013	10:30	1	8-oz. jar	4 C	N
11	P001-S-5004-1	Area 05	RCRA Characteristics	Soil	9/26/2013	10:45	1	8-oz. jar	4 C	N
12	P001-S-5005-1	Area 05	RCRA Characteristics	Soil	9/26/2013	10:55	1	8-oz. jar	4 C	N
13	P001-S-6004-1	Area 06	RCRA Characteristics	Soil	9/26/2013	13:10	1	8-oz. jar	4 C	N
14	P001-S-6005-1	Area 06	RCRA Characteristics	Soil	9/26/2013	11:40	1	8-oz. jar	4 C	N
15	P001-S-6005-2	Area 06	RCRA Characteristics	Soil	9/26/2013	11:40	1	8-oz. jar	4 C	N
16	P001-S-6006-1	Area 06	RCRA Characteristics	Soil	9/26/2013	11:06	1	8-oz. jar	4 C	N
17	P001-S-6007-1	Area 06	RCRA Characteristics	Soil	9/26/2013	11:20	1	8-oz. jar	4 C	N
18	P001-S-6008-1	Area 06	RCRA Characteristics	Soil	9/26/2013	11:30	1	8-oz. jar	4 C	N

Special Instructions: RFP No. 265

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

N/A

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
Lab/Analyses	<i>[Signature]</i>	9/27/13	<i>[Signature]</i>	9/27/13	1630						
							Copy				
							Original Documents are included in CSF				
							<i>PS</i>				
	<i>[Signature]</i>	9/27/13					Signature		<i>[Signature]</i>	9/27/13	1900

9/28/13

Date

\* - In E3896

Temp 4°C

## 6.1

## CHAIN OF CUSTODY RECORD

**No: 2-092713-140902-0045**

**RFP No. 265 / Weston Solutions**

**Contact Name: Scott Snyder**

Cooler # 1 of 1

**Lab: ChemTech**

Lab Phone:

Copy	
Original Documents are included in CSF	E3896
PS	
Signature	
9/28/13	
Date	

SAMPLES TRANSFERRED FROM	
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

**CHAIN OF CUSTODY #**

NIA

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
Lab Analysis	<i>[Signature]</i>	9/27/13	<i>[Signature]</i>	9-27-13	1670						
	<i>[Signature]</i>	9-27-13 <sup>1900</sup>							<i>[Signature]</i>	9/27/13	1900



284 Sheffield Street Mountainside NJ 07092 Tel. 908-7898900

## Laboratory Certification

State	License No.
New Jersey	20012
New York	11376
Connecticut	PH-0649
Florida	E87935
Louisiana	5035
Maryland	296
Massachusetts	M-NJ503
Pennsylvania	68-548
Rhode Island	LAO00259
Virginia	460220
Texas	T10470448-10-1

Other :

DOD ELAP Certified (L-A-B Accredited), ISO/IEC 17025	L2219
Soil Permit	P330-11-00012
CLP Inorganic Contract	EPW09038
CLP Organic Contract	EPW11030

QA Control Code: A2070148